



STANOZOL 10

Stanozolol 10mg per capsule.

FOR ORAL USE ONLY.

DESCRIPTION:

Stanozolol is similar to natural occurred testosterone in term of effects.

Since is an C17 a-alkylated steroid it has a high bioavailability when ingested.

Stanozol is used to treat medical condition such hypogonadism, but this use are almost discontinued for this compound.

This compound is oftenly used for medical conditions such cachexia or other protein malabsorption diseases.

For fitness purposes stanozolol is one of the most used anabolic steroid due to the effectiveness and quick results and hardness.

ADMINISTRATION:

For oral use only. It can be taken with or without food.

DOSAGE:

For cachexia and protein malabsorption diseases the typical dose is 5-10mg daily.

For fitness purposes the typicall dose for males is 25-50mg daily.

PRECAUTIONS:

The use of any testosterone derivated androgen may induce precocious puberty in childs and patients under 20 years, if signs of precocious prepuberty occurs the treatment must be discontinued.

Since androgens may cause fluid retention Stanozol 10 must be used with caution in patients with epilepsy, migraine, asthma, and cardiac or renal disease.

ADVERSE REACTIONS:

Headache, irritability, edema, restlessness, depression, tiredness, precocious prepuberty, gynaecomastia, and pain at the site of the injection.

CONTRAINDICATIONS:

Precocious puberty, prostatic carcinoma or another androgen dependent neoplasia, allergy reaction to testosterone or any of the compounds of this formulation.

PRESENTATION:

100 capsules containing 10mg of active compound per pillpot.

EACH CAPSULE CONTAINS:

Stanozolol, microcrystaline cellulose and calcium salts.

Manufactured for:

NOVATEK LABS
217 Valtaiku iela
Riga - Latvia